# **Certificate of Constancy** of Performance

# Certificate n: 0757-CPR-277-8017423-2-1

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

### Pedestrian doorsets with fire resistance and smoke control characteristics

Trade name	Schüco ADS 80 FR 60	
Product description/ specification	Pedestrian doorset according to EN 14351-1:2006+A2:2016 with fire resistance and smoke control characteristics according to EN 16034:2014 Construction and classification: see EXAP report n° 18-002403-PR01 and classification report n°18-002403-PR02	
Levels and classes of performance	According to configuration in annex 1	
Intended use(s)	<ul> <li>Installation in residential and non-residential construction</li> <li>In the case of room partitioning into fire and/or smoke protection sections and/or escape routes</li> </ul>	
placed on the market under the name or trade mark of	PICHLER Projects GmbH Edisonstr. 15, IT-39100 Bozen	
and produced in the manufacturing plant(s)	PICHLER Projects GmbH Edisonstr. 15, IT-39100 Bozen	

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

#### EN 14351-1:2006+A2:2016 and EN 16034:2014

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 13.10.2020 and will remain valid until 12.10.2023, as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the ift Rosenheim no. 277 8017423.





Christian Kehrer Head of notified product certification body



**ROSENHEIM** 


EN 16034 EN 14351-1

Basis:









www.ec.europa.eu



www.ift-rosenheim.de

ift Rosenheim GmbH

Notified body No.

FC-Reference-No.

Theodor-Gietl-Str. 7-9 D-83026 Rosenheim

Contact Phone: +49 8031 261-0 Fax: +49 8031 261-290 www.ift-rosenheim.de

Testing and Calibration – EN ISO/IEC 17025 Inspection – EN ISO/IEC 17020 Product Certification – EN ISO/IEC 17065 Certification of Management Systems – EN ISO/IEC 17021





0757

# Certificate of constancy of performance

Date of issue:

Annex 1 Page 1 of 1 Certificate holder: PICHLER Projects GmbH 13.10.2020



# Certificate nº: 0757-CPR-277-8017423-2-1

#### **Product description:**

Essential characteristics	Performance	Harmonised technical specification
<b>Fire resistance</b> (in the case of room partitioning into fire and/or smoke protection sections)	NPD / E 15 / E 20 / E 30 / E 45 / E 60 NPD / EW 15 / EW 20 / EW 30 / EW 45 / EW 60 NPD / El <sub>2</sub> 15 / El <sub>2</sub> 20 / El <sub>2</sub> 30 / El <sub>2</sub> 45 / El <sub>2</sub> 60 NPD / El <sub>1</sub> 15 / El <sub>1</sub> 20 / El <sub>1</sub> 30	EN 16034:2014
Smoke control (only for applications where smoke spread limitation is required)	NPD / Sa / S200	
Ability to release	NPD / Released	
Self-closing action (only for self-closing fire and/or smoke protection doors and/or windows)	NPD / C	
Durability of ability to release	NPD / Maintain release	
Durability of self-closing (only for self-closing fire and/or smoke protection doors and/or windows)		
<ul> <li>Compared with loss of quality (resistance to repeated opening and closing)</li> <li>Compared with ageing (corrosion)</li> </ul>	NPD / 0 / 1 / 2 / 3 / 4 / 5 NPD / Achieved	
Ability to release	NPD / Fulfilled	EN 14351-1: 2006+A2:2016